
Already had COVID-19? You CAN get sick again!



Get your FREE vaccine to protect your health TODAY.





YOUNG CHILDREN CAN GET THEIR COVID-19 VACCINE JUST LIKE YOU!

Get tested. Get vaccinated. Get protected.





Southwest Interdisciplinary Research Center Arizona State University



Material is supported by the National Institute on Minority Health and Health Disparities under Grant 3U54MD002316-14S1. The content is solely the responsibility of the authors and does not necessarily represent the official views of the National Institutes of Health.

feet

DON'T FEEL YOUR BEST? GET A TEST!


Free COVID-19 tests are available at pharmacies, clinics, and pop-up testing sites near you.



Find yours at azdhs.gov or onecommunityaz.com



PARENTS, PROTECT YOUR CHILDREN FROM COVID-19





THERE ARE MANY WAYS TO PROTECT OURSELVES AND LOVED ONES FROM COVID-19



Get tested:

A test is the only way to know for sure if you are sick with COVID-19. Get tested if you feel symptoms of the virus.



Get vaccinated:

Vaccines are safe and FREE for everyone. You do not need to be a U.S. citizen or have insurance to get vaccinated.



Wear a mask:

If you are not vaccinated, wear a close-fitting, layered mask over your nose and mouth. If you are vaccinated, wear a mask where required.



Keep physical distance:

If you are unvaccinated, stay at least six feet from others. Avoid crowds and stay home if you feel sick.



IF SOMEONE IS SICK AT HOME



Hang curtains, plastic, or blankets around their area.

Keep their bedding, dishes, and towels separate.



Open windows and use fans to create airflow.

Choose one low-risk person to care for them.






Keep visitors outside and at a distance.














Test Negative





TESTING for COVID-19 is important to stop the spread

TESTING is the only way to know who has COVID-19 and where the virus is spreading



Material is supported by the National Institute on Minority Health and Health Disparities under Grant 3U54MD002316-14S1. The content is solely the responsibility of the authors and does not necessarily represent the official views of the National Institutes of Health.

COVID-19 TEST

TEST if you have symptoms of COVID-19, even if you've had the vaccine

TESTING for COVID-19 is important to stop the spread

COVID-19 TEST



TEST if you have symptoms of COVID-19, even if you've had the vaccine


TESTING is the only way to know who has COVID-19 and where the virus is spreading



TESTING IS IMPORTANT BECAUSE...

Vaccines may be effective in preventing COVID-19,

BUT...



even if you are vaccinated, you may still pass the virus to others without having symptoms yourself.

Testing shows who has COVID-19 and could spread the virus to others.





We're vaccinated against COVID-19 and celebrating birthdays together.



I'm vaccinated

against COVID-19 and

celebrating my new baby.



We're vaccinated so I can hug my mom again.

against COVID-19



COVID-19 Vaccine Fast Facts



Vaccination is an important way to protect yourself and loved ones.

Vaccines may cause sore muscles, tiredness, or fever for a few days. These side effects do NOT mean you are sick or have COVID-19.





Vaccines prepare your body's natural defenses to fight the virus.

COVID-19 TEST

After you are fully vaccinated, there is still a small chance you may get the virus. Test for COVID-19 if you feel symptoms.

Not everyone will get vaccinated, so it's important to protect yourself and others.

Arizona State University

COVID-19 VACCINE

Find it at vaccines.gov & equalityhealth.com/covid19



